

SW

02
PIPE LAP 88
DEC 22 2006
PATENT & TRADEMARK OFFICE
L

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

)

)

⋮

)

;

)

)

;

;

;

)

)

,

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:



The following minor errors have been noted in the above-mentioned patent:

COLUMN 2:

Line 38, "staring" should read --starting--.

COLUMN 25:

Compound C-27, “



COLUMN 65:

Line 10, “claim 1,” should read --claim 3,--.

COLUMN 66:

Line 33, “having:” should read --having--; and
Line 36, “unit;” should read --unit,--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Peter Saxon", written in dark ink.

Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_MAIN 608298v1